

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/067,366	02/04/2002	Saul R. Dooley	GB 010020	7415	
24737	7590 06/02/2004		EXAMINER		
	TELLECTUAL PROP	ISSING, GR	ISSING, GREGORY C		
P.O. BOX 3001 BRIARCLIFF MANOR, NY 10510			ART UNIT	PAPER NUMBER	
	,		3662		

DATE MAILED: 06/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

					.ΛΔ				
		Application No	1_	Applicant(s)	7				
Office Action Summary		10/067,366		DOOLEY ET AL.					
		Examiner		Art Unit					
		Gregory C. Issi		3662					
Period for	The MAILING DATE of this communication Reply	appears on the cove	er sheet with the c	orrespondence add	ress				
THE N - Extens after S - If the p - If NO p - Failure Any re	PRTENED STATUTORY PERIOD FOR REMAILING DATE OF THIS COMMUNICATION ions of time may be available under the provisions of 37 CFIX (6) MONTHS from the mailing date of this communication period for reply specified above is less than thirty (30) days, a period for reply is specified above, the maximum statutory perion to reply within the set or extended period for reply will, by steply received by the Office later than three months after the material patent term adjustment. See 37 CFR 1.704(b).	DN. R 1.136(a). In no event, how . I reply within the statutory mirriod will apply and will expire atute. cause the application	vever, may a reply be tim inimum of thirty (30) days > SIX (6) MONTHS from to to become ABANDONER	ely filed will be considered timely. the mailing date of this con	nmunication.				
Status									
1)⊠ F	Responsive to communication(s) filed on 2	7 February 2004.							
2a)⊠ ⁻									
	This action is FINAL . 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Dispositio	on of Claims								
5)□ (6)⊠ (7)□ (Claim(s) 1 and 4-8 is/are pending in the apparance of the above claim(s) is/are with the claim(s) is/are with the claim(s) is/are allowed. Claim(s) 1 and 4-8 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and	drawn from conside							
Applicatio	n Papers								
9)□ T	he specification is objected to by the Exam	niner.							
10)[T	he drawing(s) filed on is/are: a) a	accepted or b) ob	jected to by the E	xaminer.					
	Applicant may not request that any objection to t								
	Replacement drawing sheet(s) including the con he oath or declaration is objected to by the								
Priority un	ıder 35 U.S.C. § 119								
a) 1 2 3	cknowledgment is made of a claim for fore All b) Some * c) None of: Certified copies of the priority docume Copies of the certified copies of the papplication from the International Burse the attached detailed Office action for a least open content.	ents have been rece ents have been rece priority documents ha eau (PCT Rule 17.2	eived. eived in Applicatio ave been received ((a)).	on No d in this National S	tage				
Attachment(s	•	_							
	of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (PTO-948)	4) 📙	Interview Summary (i Paper No(s)/Mail Dat	PTO-413) e.					
3) 🔲 Informa	ation Disclosure Statement(s) (PTO-1449 or PTO/SB/ No(s)/Mail Date	08) 5)		tent Application (PTO-1	l 52)				

Page 2

Application/Control Number: 10/067,366

Art Unit: 3662

1. The Objection to the drawings regarding the labeling of the Figures as "Prior Art" is withdrawn.

2. The proposed drawing change to Figure 4 would be approved by the Examiner.

However, proposed drawing changes are no longer accepted by the Office. Drawing changes must be presented in replacement figures, see note below.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" and include all of the figures appearing on the immediate prior version of the sheet, even though only one figure may be amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheets must be clearly labeled as "Annotated Marked-up Drawings" and accompany the replacement sheets.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the

Application/Control Number: 10/067,366

Art Unit: 3662

Page 3

"Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

- 3. The rejections over Julg and Povey in view of Krasner have been overcome by the amendments.
- 4. Claims 1, 4-6 and 8 are objected to because of the following informalities: in claim 1, line 1, "dispreading" is a typographical error. In claim 1, line 5, "attributeable" should be "attributable." In claim 8, line 8, "he correlation" is a typographical error. Appropriate correction is required.
- 5. Claims 1 and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Gronemeyer.
- 6. Gronemeyer discloses the claimed method and apparatus for despreading a GPS signal, as best shown in Figure 3, including providing Doppler information via Doppler generator 50 which is mixed with a sample of a received signal that is stored in sample RAM 44. The complex-mixed, Doppler-corrected signal is subsequently stored in a register 48 and a correlator 54 correlates the Doppler-corrected signal sample with a code sequence wherein the correlation is modified as a function of the Doppler information.
- 7. Claims 1 and 4-8 are rejected under 35 U.S.C. 102(e) as being anticipated by King.

 King discloses the claimed method and apparatus for despreading a GPS signal, see

 Figure 7 and 8, wherein a received GPS signal, i.e. the target signal, is modified by mixing

 127/843 the target signal with Doppler information 133:703/SV8 Doppler:845, stacked in a

 memory 136 or 846, and correlated with a plurality of PN code sequences 760:705:778 or 852.

 The Doppler signatures are preferably obtained from a wireless base station and the GPS receiver

Application/Control Number: 10/067,366

Art Unit: 3662

position estimate.

substantially functions as a mobile unit within a wireless communication network (col. 8, par. 4-

- 6). Use of the cell phone's CDMA timing for the syncing the GPS receiver is also taught (col.
- 12, top paragraph). It is further taught that the initial position estimate may be used to determine Doppler information. An initial position estimate is conventionally determined from a last known position fix and as such, anticipates use of the last known position fix as an initial
- 8. Applicants argue that the prior art fails to show "modifying the target signal as a function of Doppler information prior to correlating the target signals with the reference signal." As shown by each of the cited references (Gronemeyer and King) the compensation for Doppler frequency variations is known to precede the PN code correlation function in a GPS receiver. Thus, the applicant's argument is not convincing.
- 9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Gustafson et al (6,331,835) discloses a GPS receiver including the removal of Doppler (26) from the target signal r(t) by modifying the target signal as a function of Doppler information $\Phi_k(i)$ prior to code correlation, see Figure 1A.
- 10. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

Art Unit: 3662

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregory C. Issing whose telephone number is (703)-306-4156. The examiner can normally be reached on Mon-Thurs 6:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Tarcza can be reached on (703)-306-4171. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gregory C. Issing

Primary Examiner

Art Unit 3662

gci